

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	108144	(function object code script routine procedure program) near3 (provider server service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 17:21
S2	1134	(return respon\$) near5 requestor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 13:24
S3	14	S1 with S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 13:12
S4	4	("5471596" "5881380").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 13:23
S5	17	"BALDWIN, BERNARD".in. "CONDE, JUAN"".in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 13:10
S6	50570	S1 and (@ad<"20000627" @rlad<"2000627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 13:17
S7	8	S3 and (@ad<"20000627" @rlad<"2000627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 19:05
S8	72180	(method class) near3 (provider server service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 13:24
S9	126194	(return respon\$) near5 (client request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 13:24
S13	774	S8 near5 S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 13:45
S14	0	distrinut\$3 near3 (function object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:17
S15	15795	distributed\$3 near3 (function object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:17

S16	26858	(evaluate execute) near3 function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:22
S17	6929	(provid\$3present\$3 display\$3) with (directory list) near3 (function code object procedure method class routine agent modul\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:31
S18	8047	(evalu\$3 execut\$3 run\$3 perform\$3) with (return near4 (value result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:31
S19	8047	(evalu\$3 execut\$3 run\$3 perform\$3) with (return near4 (value result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:47
S20	6929	(provid\$3present\$3 display\$3) with ((directory list) near3 (function code object procedure method class routine agent modul\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:48
S21	254	S19 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:47
S22	4	function adj name adj element	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 19:01
S23	2907	(provid\$3 present\$3) with (list near3 (object function program routing process procedure method))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 19:03
S24	1088	S23 same (select\$3 choos\$3 exect\$3 evalu\$3 run\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 19:04
S25	195	S24 same (return\$3 result\$3 outcome\$3 consequenc\$3 stock ticket )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 19:05
S26	78	S25 and (@ad<"20000627" @rlad<"2000627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 08:11
S27	2590	((709/225) or (719/315,330)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 08:00
S28	2816	((709/225) or (719/315,330)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 08:00

S29	0	(707/103).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 08:11
S30	1235	(707/103\$).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 08:11
S31	865	S30 and (@ad<"20000627" @rlad<"2000627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:08
S32	248	S28 and (@pd>"20041104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 08:14
S33	1113	S31 S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 08:50
S34	1001	S33 and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 08:51
S35	547	S34 and parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 08:50
S36	134	S33 and (function near object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:04
S37	9	S36 and financial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 08:54
S38	29	S33 and ((function near object) same (server provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:05
S39	30	S33 and ((function near object) same (middle tier intermediar\$ gateway relay server provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:06
S40	545	((function near object) same (middle tier intermediar\$ gateway relay server provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:05
S41	31	S33 and ((function\$2 near object) same (middle tier intermediar\$ gateway relay server provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:09

S42	221	(modif\$4 near3 object) near5 result	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:09
S43	136	S42 and (@ad<"20000627" @rlad<"2000627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:09
S44	508	(modif\$4 near3 object) with result	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:09
S45	22	S44 same (middle tier intermediar\$ gateway relay server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 09:09
S46	12	S45 and (@ad<"20000627" @rlad<"2000627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:01
S47	4663	(709/201,217).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:01
S48	2551	S47 and (@ad<"20000627" @rlad<"2000627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:01
S49	1106	S48 and ((functon method script) same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:02
S50	221	(modif\$4 near3 object) near5 result	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:03